

# INDUSTRIAL POWER TRANSMISSION BELTS

## INDUSTRIAL V - BELTS Classical V-Belts ( Rubber )



- Wrapped : Z/M, A, B, C, D, E
- Raw-Edged : ZX, AX, BX, CX, DX

Cogged 5, 6, 8, 10

- Banded : A, B, C, D, AX, BX, CX
- Double : AA, BB, CC, DD



## Narrow V-Belts ( Rubber )



- Wrapped : SPZ, SPA, SPB, SPC,

3V, 5V, 8V

- Raw-Edged Cogged : XPZ, XPA, XPB, XPC,



3VX, 5VX, 8VX

- Banded Wrapped : SPZ, SPA, SPB, SPC,

3V, 5V, 8V


- Banded Raw-Edged Cogged : XPZ, XPA, XPB, XPC,



3VX, 5VX, 8VX

#### **Variable Speed Belts ( Rubber )**

- Available in inches and in metrics



#### **Compact Drive V-Belts ( Polyurethane )**

- 3M, 5M, 7M, 11M
- Multi-ribs available for 5M, 7M, 11M



### V-Belts ( Polyurethane )




- VC - Type
- DC - Type




### Open End Belts



- Round Rope (Polyurethane) : available diameter 2 to 15 mm
- V Rope (Polyurethane) : M, A, B
- Perforated V-Belt : M, A, B, C



### Flat Belts ( Conveyor / Transmission )



- Rubber
- PVC ( Green, White )
- Polyurethane ( Green, White )

### Perforated V-Belts



- M, A, B, C
- Metal Fastener M, A, B, C

### Link Belts



- M, A, B, C
- Metal Brammer Pin
- Plastic Nu-T-Link



## **INDUSTRIAL TIMING BELTS**

### **Classical Timing Belts ( Rubber )**



- MXL, XL, L, H, XH, XXH
- DXL, DL, DH (double)


### **Super Torque Drive ( STD ) Timing Belts ( Rubber )**

### **Super Torque Synchronous ( STS ) Timing Belts**



- S2M, S3M, S4.5M, S5M, S8M, S14M
- DS3M, DS5M, DS8M, DS14M (double)

### **High Torque Drive ( HTD ) Timing Belts ( Rubber / Polyurethane )**




- 3M, 5M, 8M, 14M
- D5M, D8M, D14M (double)

### **Endless Polyurethane Timing Belts**



- T80(MXL), XL, L, H
- T2, T2.5, T5, T10, T20, DT2.5, DT5, DT10
- AT5, AT10, AT20

### Open End Polyurethane Timing Belts



\* Available in open length rolls or endless belts.

- Customization Service :

Belts are joined with a high tech welding process to give you the transmission power and required belt length all in one.

- Standard Profiles : T5, T10, T20  
AT3, AT5, AT10, AT20  
P1, P2, P4  
zXL, L, H, XH  
RPP5, RPP8, RPP14, STD8M  
MTD3M, MTD5M, MTD8M, MTD14M  
TG5, TG10-K6, TG10K-13, TG20  
ATG20, ATG20-HG  
PD8MM, PD14MM



### AUTOMOTIVE BELTS Automotive V-Belts



- Wrapped : FM 2
- Raw Edge (Laminated) : SP - RAF 2, 3
- Raw Edge (Cogged Type) : RDF 2, 3, 5, 7, 8, 9



### Automotive Rib Belts



- 3PK, 4PK, 5PK, 6PK, 7PK, 8PK, 9PK, 10PK
- Available in Multiple Ribs

### AUTOMOTIVE TIMING BELTS

#### Automotive Timing Belts



Belt Type	Tooth Pitch(mm)
XR	9.525
XY	8.000
RU	9.525
YU	8.000
MR	9.525
MY	8.000
ZA	9.525
ZAS	9.525
ZBS	9.525
S8M	8.000
FS	9.525